

The unseen servant

A TWEENY Foodwaste Disposer
as important as the dishwasher



Tweeny

Your kitchen's not complete without one



The Origin of the Tweeny

People often ask us, "Why Tweeny?"

In Victorian times, the girl who did the odd jobs for the cook and the housemaid was called the in-between-maid or 'Tweeny' for short. One of her duties was clearing up and disposing of kitchen waste. Now you know!

THE ESSENTIAL KITCHEN APPLIANCE

Preparing for a dinner party or putting the family meal on the table can result in an astonishing amount of food waste - in fact, it's amazing how much there is every day. Bits of bread, bones, fish skins, uneaten portions, vegetable peelings, all to be dumped in the kitchen bin. It's messy and it smells.

But it doesn't have to be like that.

With a Tweeny food waste disposal unit, you can put the lot in the sink and watch it disappear in seconds. Convenient, hygienic, time saving and easy.

There are four Tweeny models designed to suit different families' needs but they can all deal with the remains of a 3lb cooked chicken (yes, honestly, the entire carcass) within 30 seconds. Simply turn on the tap, switch on, push the food waste through the sink outlet and the Tweeny grinds it up into tiny particles which are then flushed into the sewage system or the septic tank. Easy, isn't it? What's more, there's no regular maintenance required. Your Tweeny goes on doing its job for years, quietly, efficiently and out of sight. It's the indispensable kitchen appliance.

Built to last, every Tweeny model is heavy duty engineered with corrosion designed out. Exceptionally high performance ratings ensure a long, safe and useful life. Naturally, Tweenys are fully guaranteed but just in case the unthinkable happens and something does go wrong, you can call on us for help wherever you are in the UK.



The task



The task done - it's that easy!

Tweeny

Your kitchen's not complete without one

TWEENY MODELS



WESTMINSTER
Batch and
continuous feed



MAYFAIR
Top of the range
continuous feed



CHELSEA
Standard
model



VICTORIA
For those with
budgets in mind



KENSINGTON
Foundation
model

The Westminster

New to the Tweeny London range is the Westminster batch and continuous feed unit, controlled directly from the sink with no need for remote wall or air switches.

In **Batch feed** mode the unit is controlled with its '*Magnitop*' plug, there is no direct access to the grinding chamber providing extra safety and noise reduction, the '*Magnitop*' plug also seals the sink for other uses and gives unrestricted access to feed larger waste. In **Continuous feed** mode with '*Magnitube*' larger volumes of waste can easily be disposed of in one operation. It also allows more water to be used when disposing of larger quantities of rice, pasta or other doughy waste.

BRITAIN'S No.1 FOODWASTE DISPOSER

CHOOSING YOUR TWEENY

Model	Guarantee*	Power	Disposal Method	Sound Insulation	Significant Noise Period	Bearings	Control ON/OFF	Wt kg	Spatula	Waste Strainer
Westminster	5 years full	3/4HP specially designed induction motor. Capacitor start	Continuous or batch feed. Grinding Action, fixed fin impeller impact reverse and auto reverse		5 seconds then quiet	Heavy duty ball bearing races top and bottom	*Fused spur switch (not supplied) via magnetop & magnetube	14		
Mayfair	5 years full	3/4HP specially designed induction motor. Capacitor start	Grinding Action, fixed fin impeller impact reverse and auto reverse	Fully insulated	5 seconds then quiet	Heavy duty ball bearing races top and bottom	Unique Air Actuator with motor state indicator	12	Yes	Yes
Chelsea	5 years full	3/4HP specially designed induction motor. Capacitor start	Grinding Action, fixed fin impeller impact reverse and auto reverse	Fully insulated	5 seconds then quiet	Heavy duty ball bearing races top and bottom	*Fused spur switch (not supplied)	12	Yes	Yes
Victoria	2 years full	1/2HP induction motor	Shredding action, swivel hammers	Acoustic hood and sound absorbant filling	25 seconds	Ball bearings top and bottom	*Fused spur switch (not supplied)	8	Yes	Yes
Kensington	2 years full	1/2HP induction motor	Shredding action, swivel hammers		25 seconds	Ball bearings top and bottom	*Fused spur switch (not supplied)	8		

*Easy-push air switch is an additional option •Tweeny is guaranteed for domestic household use only

The Actuator – for Tweeny Mayfair

This ingenious device, unique to Tweeny, can be placed near taps and used with wet hands in complete safety because it is not an electrical switch. Combining air pressure with fibre optic

cable, the actuator can be placed on the kitchen wall or the worktop to suit your preference. As an added safety feature, the actuator incorporates a green/red indicator light.



Visit us on our website - www.tweeny.co.uk

ADDITIONAL OPTIONS

'Easy-push' air switch -

for use with Chelsea, Victoria or Kensington models

With the choice of white or chrome finish, the Easy-push button can be fitted flush in the worktop close to the sink. Because it is not an electric switch, it can be used safely with wet hands and located *where it is most convenient*. Using the button sends a pulse of air to the electric switch to turn the Tweeny on and off.



Other Options

Yes, Tweeny can be fitted to Belfast and other fireclay sinks with 90mm waste outlets. Tweeny produces a number of optional fittings to facilitate installation: Dishwasher/overflow kits, deep sink outlets in stainless steel or solid bronze to fit fireclay and other non-standard sinks.

Service

Tweenys need no routine maintenance. Tweeny maintain a network of Service Agents to cover mainland UK except for the more remote parts when other arrangements are made.

TWEENY works with septic tanks too

You don't need to be on mains drainage. The septic tank should be greater than 3600 litres and working properly.

INSTALLATION

Tweenys fit easily under most sinks but there is one requirement you should check. You will need a sink with a standard 90mm (3.5 inch) outlet. If you have a stainless steel bowl with a smaller plug hole, this can usually be modified in-situ with our sink modification kit (on hire). Check the space between the underside of the sink and the top surface of the plinth: Mayfair and Chelsea models need 445mm (17.5"). Victoria and Kensington models need 415mm (16.5).

ELECTRICAL:

Direct wiring by 3-core flexible cable to double pole fused spur switch (not supplied), in accordance with IEE regulations. Fuse rating 10 amp

SINK OUTLET:

90mm (3.5") diameter.

WASTE OUTLET:


38mm (1.5" approx) diameter to be connected to 'P' or 'S' running trap. Bottle or grease traps must NOT be used.

OVERFLOW FITTING:

Outlet spigot of 20mm (0.75") diameter. A McAlpine plastic trap is recommended for connection to this component.



All prices are subject to alteration without notice.



Tweeny

Your kitchen's not complete without one

Visit us on our website
telephone

fax
email

Tweeny, Kingfisher House, Wheel Park, Westfield, East Sussex, TN35 4SE

A Division of Max Appliances Ltd Registered in England No. 3432279

www.tweeny.co.uk
07004 893369 (t-w-e-e-n-y)
01424 751888
01424 751444
sales@tweeny.co.uk

All details are correct at time of going to press but Tweeny reserves the right to alter any specifications, feature or design without notice in the interests of continued product improvement and customer satisfaction.

TWEENY



The slimline design makes efficient use of available space.

BRITAIN'S No.1 FOODWASTE DISPOSER